




NUTR

غلٹک شیار - نوع یوغی

بلبرینگ عالی



www.1abc.ir

۰۲۱-۳۳۹۷۱۸۴۵



(Bore diameter) mm d	(Bearing No.)		(Mass) gr.	(Dimensions) mm					
	(Crowned outer ring)	(Cylindrical outer ring)		D	B	B ₁	r min	r ₁ min	a
15	NUTR 1535 R	NUTR 1535 SL	99	35	18	19	0.6	0.3	20
	NUTR 1542 R	NUTR 1542 SL	158	42	18	19	0.6	0.3	20
17	NUTR 1740 R	NUTR 1740 SL	147	40	20	21	1	0.3	22
	NUTR 1747 R	NUTR 1747 SL	220	47	20	21	1	0.3	22
20	NUTR 2047 R	NUTR 2047 SL	245	47	24	25	1	0.3	27
	NUTR 2052 R	NUTR 2052 SL	321	52	24	25	1	0.3	27
25	NUTR 2552 R	NUTR 2552 SL	281	52	24	25	1	0.3	31
	NUTR 2562 R	NUTR 2562 SL	450	62	24	25	1	0.3	31
30	NUTR 3062 R	NUTR 3062 SL	465	62	28	29	1	0.3	38
	NUTR 3072 R	NUTR 3072 SL	697	72	28	29	1	0.3	38
35	NUTR 3572 R	NUTR 3572 SL	630	72	28	29	1.1	0.6	44
	NUTR 3580 R	NUTR 3580 SL	836	80	28	29	1.1	0.6	44
40	NUTR 4080 R	NUTR 4080 SL	816	80	30	32	1.1	0.6	51
	NUTR 4090 R	NUTR 4090 SL	1,129	90	30	32	1.1	0.6	51
45	NUTR 4585 R	NUTR 4585 SL	883	85	30	32	1.1	0.6	55
	NUTR 45100 R	NUTR 45100 SL	1,396	100	30	32	1.1	0.6	55
50	NUTR 5090 R	NUTR 5090 SL	950	90	30	32	1.1	0.6	60
	NUTR 50110 R	NUTR 50110 SL	1,690	110	30	32	1.1	0.6	60
50	NUTR 50×130R	NUTR 50×130SL	5,200	130	65	-	3	2	-
55	NUTR 55×140R	NUTR 55×140SL	6,400	140	70	-	3	2	-
60	NUTR 60×150R	NUTR 60×150SL	7,800	150	75	-	3	2	-
65	NUTR 65×160R	NUTR 65×160SL	8,800	160	75	-	3	2	-
70	NUTR 70×180R	NUTR 70×180SL	13,000	180	85	-	3	2	-
80	NUTR 80×200R	NUTR 80×200SL	16,800	200	90	-	4	2	-
90	NUTR 90×220R	NUTR 90×220SL	22,500	220	100	-	4	2.5	-
100	NUTR 100×240R	NUTR 100×240SL	28,000	240	105	-	4	2.5	-
110	NUTR 110×260R	NUTR 110×260SL	35,600	260	115	-	4	2.5	-
120	NUTR 120×290R	NUTR 120×290SL	52,800	290	135	-	4	3	-
130	NUTR 130×310R	NUTR 130×310SL	65,200	310	146	-	5	3	-

			(Basic dynamic load ratings)	(Basic static load ratings)	(Track capacity) kgf		(Limiting speed)
C	D ₁	d ₁	C Kgf	C ₀ Kgf	(Basic dynamic load ratings) C _w	(Basic static load ratings) C _{sw}	rpm
-	-	-	2,350	2,760	1,630	1,870	6,500
-	-	-	2,350	2,760	1,980	2,430	6,500
-	-	-	2,530	3,160	1,980	2,330	5,500
-	-	-	2,530	3,160	2,170	2,860	5,500
-	-	-	3,980	5,100	2,860	3,570	4,200
-	-	-	3,980	5,100	3,210	4,180	4,200
-	-	-	4,440	6,120	2,960	3,830	3,400
-	-	-	4,440	6,120	3,620	5,100	3,400
-	-	-	6,020	8,060	4,080	5,200	2,600
-	-	-	6,020	8,060	4,900	6,630	2,600
-	-	-	6,630	9,490	4,590	6,220	2,100
-	-	-	6,630	9,490	5,200	7,350	2,100
-	-	-	9,180	13,670	5,710	7,760	1,600
-	-	-	9,180	13,670	6,730	9,800	1,600
-	-	-	9,690	15,000	5,710	8,060	1,400
-	-	-	9,690	15,000	7,350	11,020	1,400
-	-	-	10,200	16,430	5,820	8,270	1,300
-	-	-	10,200	16,430	7,760	12,350	1,300
63	80	3	18,600	24,200	-	-	1,040
68	91	4	21,600	29,000	-	-	800
73	97	4	24,700	33,900	-	-	760
73	103	5	26,600	35,800	-	-	660
83	115	5	33,900	47,500	-	-	570
88	127	5	39,700	56,200	-	-	470
98	146	5	47,900	69,700	-	-	380
103	160	6	54,200	80,400	-	-	320
113	174	6	64,900	98,800	-	-	280
133	191	8	86,200	132,800	-	-	240
144	204	8	98,800	155,100	-	-	220

